

**Tendering text: Ampatex Cento**  
**Vapour check and airtight-layer**



Item	Service specification
------	-----------------------

- 1 General information  
The vapour check is also an air-tight layer. All seams, cracks, overlaps, connections and openings must be air-tight. Damage to the surface and unavoidable breaks must be sealed.

Technical data:  
Roll dimensions: 1,5 m x 50 m  
s<sub>D</sub> value: 100 m  
Weight: 170 g/m<sup>2</sup>  
Thickness: 0,27 mm  
Fire behaviour: E, EN 13501-1  
CE label: EN13984:2013

- 2 Supply and lay Ampatex Cento vapour check on existing sub-structure with smooth, printed side facing the room. Overlaps 10 cm. Concealed fixing with brackets or nails in the overlapping area. Seal overlaps airtight with Ampacoll INT adhesive tape.

Quantity.....m<sup>2</sup>      Unit price.....      Total price.....

- 3 Sub-structure  
Create or supplement the sub-structure for components where a vapour check cannot be fitted directly on to the existing structure.

Quantity.....m<sup>2</sup>      Unit price.....      Total price.....

- 4 Installation aid  
On sub-structures that cannot be nailed (metal profiles, etc.), fasten Ampatex Cento with double-sided adhesive installation tape Ampacoll DT, 0.3 x 20 mm.

- 5 Edge connections  
Seal connections to adjoining components with smooth, dust-free surfaces (planed wood, plastic profiles, metal, etc.) and connections to adjoining components with porous and rough surfaces (tile or concrete walls, untreated wood, etc.) with Ampacoll BK 530, 2 x 20 mm.  
Prime porous, dusty or rough surfaces with Ampacoll Primax.

Alternatively, use adhesive edge connector Ampacoll RA.

Quantity.....m      Unit price.....      Total price.....

- 6 Intersections  
Seal intersection connections to ventilation and electrical pipes, roof beams, rafters, etc. with butyl rubber strip Ampacoll BK 535, 2 x 50 mm or 2 x 80 mm. Prime porous, dusty or rough surfaces with Ampacoll Primax.

Quantity.....rm      Unit price.....      Total price.....

- 6.1 Processing < 50 cm

Quantity.....Units      Unit price.....      Total price.....

- 6.2 Processing > 50 cm to 100 cm

Quantity.....Units      Unit price.....      Total price.....

- 6.3 Processing > 100 cm to 200 cm  
(Intersections with a processing of more than 200 cm are considered to be edge connections and are stated there.)

Quantity.....Units      Unit price.....      Total price.....

- 7 Installation level  
Delivery and installation of a slatted frame as the installation level also serves to mechanically secure edge connections and overlaps.

Quantity.....m<sup>2</sup>      Unit price.....      Total price.....

- 8 Procurement sources and documentation  
All product data and processing instructions can be found in the technical documentation of Ampack.

Further information and procurement sources:

Ampack AG  
Seebileichestrasse 50  
9401 Rorschach  
Tel. 071 858 38 00  
Fax 071 858 38 37  
ampack@ampack.ch  
www.ampack.eu

## **Note**

### **Content considerations**

Adjustments by the user will remain necessary on occasion. Texts for tender proposals describe standard situations only. Special cases must be considered separately. When carrying out the creation, Ampack AG is guided by the best available technology, the recognised rules of the building trade, association requirements and current standards and regulations. In the event of doubt, the details in the documentation or in the brochures and flyers of Ampack AG apply.

### **Legal considerations**

The preparation of texts for invitations to tender is a voluntary, non-payable additional service of Ampack, and is intended as an aid for architects, planners and processors. It is carried out to the best of the company's knowledge, but expressly excludes any liability derived from consulting services. See the General Terms & Conditions of Ampack AG for further information.

### **Permission for use by customers of Ampack AG**

The texts for invitations to tender can be used by our customers (architects, planners and processor) for their own purposes. Any disclosure or publication in printed matter or electronic media is not permitted. Constructive criticism and amendments are expressly requested and welcomed by the author. To facilitate the transfer to tender proposals, unnecessary formatting has been omitted.

Ampack AG  
Ulrich Höing  
Head Technology and Development  
Sebleichestrasse 50  
CH-9400 Rorschach  
+41 71 858 38 00 Tel  
+41 71 858 38 37 Fax  
[ulrich@ampack.ch](mailto:ulrich@ampack.ch)

Copyright Ampack AG, CH-9400 Rorschach

Last updated: 19.07.2017